Safety Data Sheet according to Regulation (EC) 'No. 2020/878

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Identifier

Product Name: 07220GAE

Revision Date: 28/03/2025

Supersedes Date: STONBLEND GSI - A 11/11/2024

Version Number: 10

UFI Code: No Information

Contain nanoform: No

1.2 Relevant identified uses of the substance or mixture and uses advised against

For use by appropriately trained applicators. Component of multicomponent coatings - Professional use only. Please see Technical Data Sheet. Advised against: others than recommended

1.3 Details of the supplier of the safety data sheet

Importer: None

Manufacturer:

Stonhard Europe
9 Rue du Travail
1400 Nivelles
Belgium

Regulatory / Technical Information:
+32 67493710 Nivelles, Belgium

Datasheet Produced by: ehs-eu@stonhard.com

1.4 Emergency telephone number:

CHEMTREC +1 703 5273887 (Outside US)
PPC +1 412 6816669 (Outside US)

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

HAZARD STATEMENTS

Acute Toxicity, Oral, category 4	H302
Skin Corrosion, category 1	H314-1
Skin Sensitizer, category 1	H317

Reproductive_ToxicityF_category_1B	H360F
STOT, repeated exposure, category 2	H373
Hazardous to the aquatic environment, Chronic, category 2	H411

2.2 Label elements

Symbol(s) of Product

Signal Word

Danger

Named Chemicals on Label

Benzyl alcohol, 2-piperazin-1-ylethylamine, N-(3-(trimethoxysilyl)propyl)ethylenediamine, 3-Aminomethyl-3,5,5-trimethylcyclohexylamine, 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine, phenol, dodecyl-, branched

HAZARD STATEMENTS

Acute Toxicity, Oral, category 4	H302	Harmful if swallowed.
Skin Corrosion, category 1	H314-1	Causes severe skin burns and eye damage.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Reproductive_ToxicityF_category_1B	H360F	May damage fertility.
STOT, repeated exposure, category 2	H373	May cause damage to organs through prolonged or repeated exposure.
Hazardous to the aquatic environment, Chronic, category 2	H411	Toxic to aquatic life with long lasting effects.

PRECAUTION PHRASES

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305	IF IN EYES:
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+364	Take off contaminated clothing and wash it before reuse.
P363	Wash contaminated clothing before reuse.
P403+233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents and container in accordance with all local, regional, national and international regulations.

ADDITIONAL INFORMATION

REACH n° 01-2119965165-33 covered by cas 38294-64-3

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

No Information

Endocrine disrupting properties - Toxicity

Name According to EEC	CAS-No.
phenol, dodecyl-, branched	121158-58-5

Endocrine disrupting properties - Ecotoxicity

Name According to EEC	CAS-No.
phenol, dodecyl-, branched	121158-58-5

SECTION 3: Composition/Information On Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous ingredients

Name According to EEC EINEC No. CAS-No. REACH Reg No.	%	Classifications	SCL Value: ATE Value: M-Factor:	
Benzyl alcohol 202-859-9 100-51-6 01-2119492630-38 603-057-00-5	25 - <50	H302-319-332 Acute Tox. 4 Inhalation, Acute Tox. 4 Oral, Eye Irrit. 2, Skin Sens. 1	SCL Value: ATE Value: M-Factor: (acute) M-Factor: (chronic)	- 1200 mg/kg (oral) - -

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine 500-101-4 38294-64-3 01-2119965165-33	10 - <25	H314-317-412 Aquatic Chronic 3, Skin Corr. 1B, Skin Sens. 1	SCL Value: ATE Value: M-Factor: (acute) M-Factor: (chronic)	- - - 1
3-Aminomethyl-3,5,5-trimethylcyclohexylamine 220-666-8 2855-13-2 01-2119514687-32 612-067-00-9	10 - <25	H302-312-314-317-412 Acute Tox. 4 Dermal, Acute Tox. 4 Oral, Aquatic Chronic 3, Skin Corr. 1B, Skin Sens. 1A	SCL Value: ATE Value: M-Factor: (acute) M-Factor: (chronic)	Skin Sens. 1A; H317: C ≥ 0,001 % 1030 mg/kg (oral) 1 1
phenol, dodecyl-, branched 310-154-3 310-154-3 121158-58-5 01-2119513207-49	10 - <25	H314-360F-400-410 Aquatic Acute 1, Aquatic Chronic 1, Repr. 1B, Skin Corr. 1	SCL Value: ATE Value: M-Factor: (acute) M-Factor: (chronic)	- - 10 -
2-piperazin-1-ylethylamine 205-411-0 140-31-8 01-2119471486-30 612-105-00-4	2.5 - <10	H302-311-314-317-361-372-412 Acute Tox. 3 Dermal, Acute Tox. 4 Oral, Aquatic Chronic 3, Repr. 2, Skin Corr. 1B, Skin Sens. 1, STOT RE 1	SCL Value: ATE Value: M-Factor: (acute) M-Factor: (chronic)	- - - -

N-(3-(trimethoxysilyl)propyl) ethylenediamine 217-164-6 1760-24-3 01-2119970215-39	2.5 - <10	H317-318-332 Acute Tox. 4 Inhalation, Eye Dam. 1, Skin Sens. 1	SCL Value: ATE Value: M-Factor: (acute) M-Factor: (chronic)	- - - -
n,n'-bis[3-(trimethoxysilyl) propyl]ethylenediamine 68845-16-9 No Information	0.1 - <1.0	H318 Eye Dam. 1	SCL Value: ATE Value: M-Factor: (acute) M-Factor: (chronic)	- - - -
n,n-bis[3-(trimethoxysilyl) propyl]-1,2-ethanediamine 74956-86-8 No Information	0.1 - <1.0	H318 Eye Dam. 1	SCL Value: ATE Value: M-Factor: (acute) M-Factor: (chronic)	- - - -

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

SECTION 4: First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.
AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.
AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

No Information

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

No Information

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment.

6.1.2 For emergency responders

No Information

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist.
Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Direct sources of heat.
STORAGE CONDITIONS: Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

The mixing and application to be in accordance with the technical data sheets.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits (UK WELS)

Name	CAS-No.	LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
Benzyl alcohol	100-51-6				
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine	38294-64-3				
3-Aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2				
phenol, dodecyl-, branched	121158-58-5				
2-piperazin-1-ylethylamine	140-31-8				
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3				
n,n'-bis[3-(trimethoxysilyl)propyl] ethylenediamine	68845-16-9				
n,n-bis[3-(trimethoxysilyl)propyl]-1,2-ethanediamine	74956-86-8				

Name	CAS-No.	OEL Note
Benzyl alcohol	100-51-6	
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine	38294-64-3	
3-Aminomethyl-3,5,5-trimethylcyclohexylamine	2855-13-2	
phenol, dodecyl-, branched	121158-58-5	
2-piperazin-1-ylethylamine	140-31-8	
N-(3-(trimethoxysilyl)propyl) ethylenediamine	1760-24-3	
n,n'-bis[3-(trimethoxysilyl)propyl] ethylenediamine	68845-16-9	
n,n-bis[3-(trimethoxysilyl)propyl]-1,2-ethanediamine	74956-86-8	

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

Chemical Name:

Benzyl alcohol

EC No.: 202-859-9

CAS-No.: 100-51-6

DNELs - Derived no effect level

	Workers				Consumers			
Route of Exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required					20 mg/Kg bw/day	5 mg/kg bw/day	4 mg/kg bw/day
Inhalation		110 mg/m³		22 mg/m3		27 mg/m3		5.4 mg/m3
Dermal		40 mg/kg bw/day		8 mg/kg bw/day		20 mg/kg bw/day		4 mg/kg bw/day

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	1 mg/L
Fresh water sediments	5.27 mg/kg wwt
Marine water	0.1 mg/L
Marine sediments	0.527 mg/kg wwt
Food chain	
Microorganisms in sewage treatment	39 mg/L
soil (agricultural)	0.456 mg/kg wwt
Air	

Chemical Name:

3-Aminomethyl-3,5,5-trimethylcyclohexylamine

EC No.: 220-666-8

CAS-No.: 2855-13-2

DNELs - Derived no effect level

	Workers				Consumers			
Route of Exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required							0.526 mg/kg bw/day
Inhalation	20.1 mg/m3	20.1 mg/m3						
Dermal								0.526 mg/kg bodyweight/day

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.06 mg/L
Fresh water sediments	5.784 mg/kg
Marine water	0.006 mg/L
Marine sediments	0.578 mg/kg (dry weight)
Food chain	
Microorganisms in sewage treatment	3.18 mg/L
soil (agricultural)	1.121 mg/kg (dry weight)
Air	

Chemical Name:
phenol, dodecyl-, branched

EC No.: 310-154-3 310-154-3

CAS-No.: 121158-58-5

DNELs - Derived no effect level

	Workers				Consumers			
Route of Exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required							
Inhalation			1.7621 mg/m3 (local-systemic: not specified)	1.7621 mg/m3 (local-systemic: not specified)				
Dermal			0.25 mg/kg bw/day (local-systemic: not specified)	0.25 mg/kg bw/day (local-systemic: not specified)				

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.074 ug/l
Fresh water sediments	0.226 mg/kg dwt
Marine water	0.0074ug/l
Marine sediments	0.0226 mg/kg dwt
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	
Air	

Chemical Name:
2-piperazin-1-ylethylamine

EC No.: 205-411-0

CAS-No.: 140-31-8

DNELs - Derived no effect level

	Workers				Consumers			
Route of Exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required				0.02 mg/kg bw/day	1.5 mg/kg bw/day		0.3 mg/kg bw/day
Inhalation		21.4 mg/m3		3.6 mg/m3		5.3 mg/m3		0.9 mg/m3
Dermal		20 mg/kg bw/day	0.006 mg/cm2	3.3 mg/kg bw/day		10 mg/kg bw/day	0.003 mg/cm2	1.7 mg/cm2

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.058 mg/l
Fresh water sediments	215 mg/kg dwt
Marine water	0.0058 mg/l
Marine sediments	21.5 mg/kg bwt
Food chain	
Microorganisms in sewage treatment	82.2 mg/l
soil (agricultural)	42.9 mg/kg dwt
Air	

Chemical Name:
N-(3-(trimethoxysilyl)propyl)ethylenediamine

EC No.: 217-164-6

CAS-No.: 1760-24-3

DNELs - Derived no effect level

	Workers				Consumers			
Route of Exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	Not required							2.5
Inhalation				35.3				8.7
Dermal		5		5		17		2.5

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.062
Fresh water sediments	0.048
Marine water	0.0062
Marine sediments	0.0048
Food chain	
Microorganisms in sewage treatment	25 mg/L
soil (agricultural)	0.0075
Air	

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: In case of insufficient ventilation wear suitable respiratory equipment. No personal respiratory protective equipment normally required. Respirator with filter for organic vapor.

EYE PROTECTION: Safety glasses.

HAND PROTECTION: Gloves

Body Protection: Long sleeved clothing.
Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing.

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Colour:	amber
Physical State	Liquid
Odor	ammonia
Odor threshold	n/a
pH	n/a
Melting point / freezing point (°C)	Not determined
Boiling point or initial boiling point and boiling range (°C)	64 - 64
Flash Point, (°C)	93
Evaporation rate	n/a
Flammability (solid, gas)	n/a
Llower and upper explosive limit	Not determined - Not determined
Vapour Pressure	n/a
Relative vapour density	

	n/a
Density and/or relative density	1.01
Solubility in / Miscibility with water	insoluble
Partition coefficient: n-octanol/water	n/a
Auto-ignition temperature (°C)	>400
Decomposition temperature (°C)	n/a
Kinematic viscosity	120-140 cps
Particle characteristics	Not applicable to liquids

9.2 Other information

VOC Content g/l: 50

Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

Specific Gravity (g/cm3)	1,01

SECTION 10: Stability and Reactivity

10.1 Reactivity
No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability
Stable under normal conditions.

10.3 Possibility of hazardous reactions
No Information

10.4 Conditions to avoid
Direct sources of heat.

10.5 Incompatible materials
Strong oxidizing agents.

10.6 Hazardous decomposition products
Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

Acute Toxicity:

Oral LD50:	No information available.
Inhalation LC50:	No information available.
Dermal LD50:	No Information
Irritation:	No information available.
Corrosivity:	No information available.
Sensitization:	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.

Toxicity for reproduction: No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
100-51-6	Benzyl alcohol	1200 mg/kg rat	2980 mg/kg, rabbit	No information	>20000 ppm	>4.178 mg/L (4h/ rat, mist)
38294-64-3	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine	>2000 mg/kg	>2000 mg/kg	>20 mg/l	>20000 ppm	
2855-13-2	3-Aminomethyl-3,5,5-trimethylcyclohexylamine	1030 mg/kg (oral-rat)	1840 mg/kg (dermal-rabbit)	>20 mg/l	>20000 ppm	>5,1 mg/l (rat)
121158-58-5	phenol, dodecyl-, branched	2140 mg/kg (oral, rat)	>2000 mg/kg (Dermal, rabbit)		0.000	0.000
140-31-8	2-piperazin-1-ylethylamine	1999 mg/kg, oral, rat	866 mg/kg, dermal, rabbit	No information	No information	No information

Additional Information:
No Information

11.2 Information on other hazards

Endocrine disrupting properties - Toxicity

Name According to EEC	CAS-No.
phenol, dodecyl-, branched	121158-58-5

SECTION 12: Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia): No information
IC50 72hr (Algae): No information
LC50 96hr (fish): No information

12.2 Persistence and degradability: No information

12.3 Bioaccumulative potential: No information

12.4 Mobility in soil: No information

12.5 Results of PBT and vPvB assessment: The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Ecotoxicity

Name According to EEC	CAS-No.

phenol, dodecyl-, branched	121158-58-5

12.7 Other adverse effects: No information

CAS-No.	Name According to EEC	EC50 48hr	IC50 72hr	LC50 96hr
100-51-6	Benzyl alcohol	230 mg/L (Daphnia Magna)	770 mg/L (EgC50, Selenastrum capricornutum)	400 mg/L (fish)
2855-13-2	3-Aminomethyl-3,5,5-trimethylcyclohexylamine	23 mg/L (Daphnia magna)	37 mg/L (EC50, Desmodesmus subspicatus)	110 mg/L (Leuciscus idus)
121158-58-5	phenol, dodecyl-, branched	0,017 mg/l (EC50, 48h, Daphnie)	0,53 mg/l (EC50, 72h, algae)	0,017 mg/l (LC50,96h, fish)
140-31-8	2-piperazin-1-ylethylamine	58 mg/l (Daphnia)	1000 mg/l (EC50, Algae)	2190 mg/l (EC50, fish)
1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine	81 mg/L	No information	597 mg/L
68845-16-9	n,n'-bis[3-(trimethoxysilyl)propyl] ethylenediamine	No information	No information	
74956-86-8	n,n-bis[3-(trimethoxysilyl)propyl]-1,2-ethanediamine	No information	No information	

SECTION 13: Disposal Considerations

13.1 **WASTE TREATMENT METHODS:** Dispose of as hazardous waste in compliance with local and national regulations. If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

European Waste Code: 080111*
Packaging Waste Code: 150110

SECTION 14: Transport Information

		ADR/RID	ADN	IMDG	IATA
14.1	UN-number or ID number	UN3066	UN3066	UN3066	UN3066
14.2	UN proper shipping name	PAINT,Phenol, dodecyl-,branched	PAINT,Phenol, dodecyl-,branched	PAINT,Phenol, dodecyl-,branched	PAINT,Phenol, dodecyl-,branched
14.3	Transport Hazard Class(es)	8	8	8	8
14.4	Packing Group	PG II	PG II	PG II	PG II
14.5	Enviromental Hazards	Marine Pollutant	Marine Pollutant	Marine Pollutant	Marine Pollutant

14.6 Special precautions for user Not applicable

EmS-No.: F-A , S-B

14.7 Maritime transport in bulk according to IMO intruments Not applicable

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

National Regulations:

Denmark Product Registration Number: 2354081

Danish MAL Code: 0-5 (2023)

Danish MAL Code - Mixture: 0-5 (2023)

Sweden Product Registration Number: Not available

Norway Product Registration Number: Not available

Germany WGK Class: Not available

Directive 2004/42/CE: 50 g/l as mixed

Covered by Directive 2012/18/EC (Seveso III): Not applicable

Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006: Not applicable

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No.	Name According to EEC
Not Applicable	

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No.	Name According to EEC
121158-58-5	phenol, dodecyl-, branched

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H360F	May damage fertility.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Reasons for revision

```
Substance and/or Product Properties Changed in Section(s):
 01 - Identification
 02 - Hazard Identification
 03 - Composition/Information On Ingredients
 08 - Exposure Controls/Personal Protection
 09 - Physical and Chemical Properties
 15 - Regulatory Information
Revision Statement(s) Changed
```

This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP	Classification, Labeling & Packaging Regulation
EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances
REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
ppm	Parts per million
mg/m3	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/l	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration
PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road
RID	International Transport of Dangerous Goods by Rail
UN	United Nations
IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects
IMO	International Maritime Organization
Note P:	The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene
Note 10:	The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.