

Safety Data Sheet according to Regulation (EC) 'No. 2020/878

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

01241Z/POL-EUR **Revision Date:** 03/02/2023 **Product Identifier** 1.1

Supersedes Date: **New SDS** STONCLAD UL POLYOL **Product Name:**

> 5 **Version Number:**

UFI Code: No Information

Nanoform:

Relevant identified uses of the 1.2

substance or mixture and uses advised against

For use by appropriately trained applicators. Base component of 2 component coatings - Professional use only. Please see Technical Data Sheet. Advised against:

others than recommended

Details of the supplier of the safety data sheet 1.3

> Importer: None

Stonhard Europe Manufacturer:

9 Rue du Travail 1400 Nivelles Belgium

Regulatory / Technical Information: +32 67493710 Nivelles, Belgium

ehs-eu@stonhard.com **Datasheet Produced by:**

CHEMTREC +1 703 5273887 (Outside US) 1.4 Emergency telephone number:

PPC +1 412 6816669 (Outside US)

Centro Antiveleni di Milano Tel+39 02 66101029 (CAV - Grande Ospedale

Metropolitano Niguarda - Milano)(24h/24h)

Emergenza ambientale +39 335-601 32 88 / +39 347-949 84 88 / +39

348-246 90 99

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

HAZARD STATEMENTS

Allergic effects EUH208 Hazardous to the aquatic environment, Chronic, category 3 H412

2.2 Label elements

Symbol(s) of Product

No Hazard Symbols Exist

Signal Word

None

Named Chemicals on Label

None

HAZARD STATEMENTS

Allergic effects EUH208 Contains 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol.

May produce an allergic reaction.

Hazardous to the aquatic environment,

Chronic, category 3

H412 Harmful to aquatic life with long lasting effects.

PRECAUTION PHRASES

P273 Avoid release to the environment.

P403+233 Store in a well-ventilated place. Keep container tightly

closed.

P501 Dispose of contents/container to waste treatment/disposal

facility in accordance with local, state, and federal

regulations.

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

Endocrine disrupting properties - Toxicity

Name According to EEC CAS-No.

No Information

Endocrine disrupting properties - Ecotoxicity

Name According to EEC CAS-No.

No Information

SECTION 3: Composition/Information On Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous ingredients

Name According to EEC EINEC No. CAS-No. REACH Reg No.	<u>%</u>	<u>Classifications</u>		SCL Value: ATE Value: M-Factor:
trimethyl-1,3-pentanediol, diisobutyrate 229-934-9 6846-50-0 01-2119451093-47	2.5 - <10	H412 Aquatic Chronic 3	SCL Value: ATE Value: M-Factor:	-
Propylene carbonate 203-572-1 108-32-7 01-2119537232-48	1.0 - <2.5	H319 Eye Irrit. 2	SCL Value: ATE Value: M-Factor:	-
ethanol, 2,2'-iminobis-, n-coco alkyl derivs. 263-163-9 61791-31-9 No Information	0.1 - <1.0	H315-319 Eye Irrit. 2, Skin Irrit. 2	SCL Value: ATE Value: M-Factor:	-
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol 95-38-5 No Information	0.1 - <1.0	H302-314-317-373-400-410 Acute Tox. 4 Oral, Aquatic Acute 1, Aquatic Chronic 1, Skin Corr. 1C, Skin Sens. 1, STOT RE 2	SCL Value: ATE Value: M-Factor:	-

Additional Information:

The text for CLP Hazard Statements shown above (if any) is given in Section 16.

SECTION 4: First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.

AFTER INGESTION: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

No Information

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention is required. No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture

No Information

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment.

6.1.2 For emergency responders

No Information

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist.

Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Direct sources of heat.

STORAGE CONDITIONS: Store in original container. Keep locked up or in an area accessible only to qualified or authorised persons. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

7.3 Specific end use(s)

The mixing and application to be in accordance with the technical data sheets.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits (UK WELS)

<u>Name</u>	CAS-No.	LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
trimethyl-1,3-pentanediol, diisobutyrate	6846-50-0				
Propylene carbonate	108-32-7				
ethanol, 2,2'-iminobis-, n-coco alkyl derivs.	61791-31-9				
2-(2-heptadec-8-enyl-2-imidazolin-1-yl) ethanol	95-38-5				

Name	CAS-No.	OEL Note
trimethyl-1,3-pentanediol, diisobutyrate	6846-50-0	
Propylene carbonate	108-32-7	
ethanol, 2,2'-iminobis-, n-coco alkyl derivs.	61791-31-9	
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)	95-38-5	

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

Chemical Name:

trimethyl-1,3-pentanediol, diisobutyrate

EC No.: CAS-No.: 229-934-9 6846-50-0

DNELs - Derived no effect level

		Wo	orkers			Con	sumers	
Route of Exposure	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral		Not	required			· -	·	18.8 mg/kg bw/ day
Inhalation				110 mg/m3				32.6 mg/m3
Dermal				31.2 mg/kg bw/				18.8 mg/kg bw/
				day				day

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.014 mg/l
Fresh water sediments	1.15 (wet sediment)
Marine water	0.0014 mg/l
Marine sediments	0.115 (wet sediment)
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	
Air	

Chemical Name:

2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol

EC No.: CAS-No.: 95-38-5

DNELs - Derived no effect level

		Wo	orkers			Con	sumers	
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not	required			<u> </u>		
Inhalation		14 mg/m³		460 μg/m ³				
Dermal		2 mg/kg bw/		60 μg/kg bw/day				
	_	day						

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	30 ng/L
Fresh water sediments	376 μg/kg sediment dw
Marine water	3 ng/L
Marine sediments	37.6 μg/kg sediment dw
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	75 μg/kg soil dw
Air	

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: Respiratory protection complying with EN 14387:2004+A1:2008. Respirator with filter for organic vapor.

EYE PROTECTION: Tightly fitting safety goggles.

HAND PROTECTION: Impervious gloves. Protective gloves complying with EN 374. Long sleeved clothing. Remove and wash contaminated clothing before re-use.

OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined

SECTION 9: Physical and Chemical Properties

9.1	Information on	basic physical	and chemica	properties

Colour: pale yellow **Physical State** Liquid

Odor slight Odor threshold n/a pΗ n/a

Melting point / freezing point (°C) Not determined Boiling point or initial boiling point and

boiling range (°C)

146 - 165

Flash Point, (°C) 200 **Evaporation rate** n/a Flammability (solid, gas) n/a

Llower and upper explosive limit Not determined - Not determined

Vapour Pressure n/a Relative vapour density n/a Density and/or relative density 0.96 Solubility in / Miscibility with water low

Partition coefficient: n-octanol/water n/a

Auto-ignition temperature (°C) >400

Decomposition temperature (°C) n/a

Kinematic viscosity 350-550 cps

Particle characteristics Not applicable to liquids

9.2 Other information

VOC Content g/l: 6.50

Grams of VOC per liter of coating product as applied per ISO 11890-1 and/or ISO 11890-2.

Specific Gravity (g/cm3) 0.96

SECTION 10: Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation may occur.

10.4 Conditions to avoid

Direct sources of heat.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

Acute Toxicity:

Oral LD50: No information available.

Inhalation LC50: No information available.

Dermal LD50: No Information

Irritation: No information available.

Corrosivity: No information available.

Sensitization: No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

Toxicity for reproduction: No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
6846-50-0	trimethyl-1,3-pentanediol, diisobutyrate	3200 mg/kg, oral, rat	>2000 mg/Kg (dermal, guinea pig)		0.000	5.3 mg/L/6h. rat, inh
95-38-5	2-(2-heptadec-8-enyl-2- imidazolin-1-yl)ethanol	1265 mg/kg body -weight (rat) OECD Guideline 401 (Acute Oral Toxicity)	>2000 mg/Kg (dermal, rabbit)			

Additional Information:

No Information

11.2 Information on other hazards

Endocrine disrupting properties - Toxicity

Name According to EEC CAS-No.

No Information

SECTION 12: Ecological Information

12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

No information

No information

No information

12.2 Persistence and degradability: No information

12.3 Bioaccumulative potential:No information

12.4 Mobility in soil: No information

12.5 Results of PBT and vPvB The

assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Ecotoxicity

Name According to EEC CAS-No.

No Information

12.7 Other adverse effects: No information

CAS-No. Name According to EEC EC50 48hr IC50 72hr LC50 96hr

6846-50-0 trimethyl-1,3-pentanediol, diisobutyrate No information No information >=6 mg/L (Lepomis macrochirus)
61791-31-9 ethanol, 2,2'-iminobis-, n-coco alkyl derivs. No information No information No information
95-38-5 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol No information No information

SECTION 13: Disposal Considerations

13.1 WASTE TREATMENT METHODS: Dispose of as hazardous waste in compliance with local and national regulations. If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

European Waste Code: 080111* Packaging Waste Code: 150110

SECTION 14: Transport Information

		ADR/RID	ADN	IMDG	IATA
14.1	UN-number or ID number	No Information	No Information	No Information	No Information
14.2	UN proper shipping name	Not regulated for transport according to U.S. DOT, ADR/RID, IMDG, and IATA regulations.	Not regulated for transport according to U.S. DOT, ADR/ RID, IMDG, and IATA regulations.	Not regulated for transport according to U.S. DOT, ADR/RID, IMDG, and IATA regulations.	Not regulated for transport according to U.S. DOT, ADR/RID, IMDG, and IATA regulations.
14.3	Transport Hazard Class(es)	No Information	No Information	No Information	No Information
14.4	Packing Group	No Information	No Information	No Information	No Information
14.5	Enviromental Hazards	No Information	No Information	No Information	No Information
					1

14.6 Special precautions for user Not applicable EmS-No.: Not applicable
 14.7 Maritime transport in bulk according to IMO intruments

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture: National Regulations:

Denmark Product Registration Number: Not available

Danish MAL Code: Not available

Danish MAL Code - Mixture: Not available

Sweden Product Registration Number: Not available

Norway Product Registration Number: Not available

Germany WGK Class: Not available

Directive 2004/42/CE : 33

Covered by Directive 2012/18/EC (Seveso III): Not applicable

Restrictions to product or to substances according

to Annex XVII, Regulation (CE) 1907/2006: Not applicable

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Reasons for revision

This is a new Safety Data Sheet (SDS). This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.

- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification of the product is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the exact composition of the formula

Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

EC European Commission
EU European Union
US United States

CAS Chemical Abstract Service

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

LTEL Long term exposure limit
STEL Short term exposure limit
OEL Occupational exposure limit

ppm Parts per million

mg/m3 Milligrams per cubic meter TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration
IC50 Half maximal inhibitory concentration
PBT Persistent bioaccumulative toxic chemical
vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container RTI Respiratory Tract Irritation

NE Narcotic Effects

IMO International Maritime Organization

Note P: The classification as a carcinogen or mutagen need not apply; the substance

contains less than 0,1 % w/w benzene

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in

powder $\$ form containing 1 % or more of titanium dioxide which is in the form of

or incorporated in particles with aerodynamic diameter \leq 10 μm .

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.