

Safety Data Sheet according to Regulation (EC) 'No. 2020/878

SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1	Product Identifier Product Name:	STR-POL-EUR STONRES STR POLYOL	Revision Date: Supersedes Date: Version Number:	07/04/2023 New SDS 3
1.2	UFI Code: Nanoform: Relevant identified uses of the substance or mixture and uses advised against	No Information No For use by appropriately trained appli coatings - Professional use only. Plea others than recommended		

1.3 Details of the supplier of the safety data sheet

	Importer:	None		
	Manufacturer:	Stonhard Europe 9 Rue du Travail 1400 Nivelles Belgium		
		Regulatory / Technical Information: +32 67493710 Nivelles, Belgium		
	Datasheet Produced by:	ehs-eu@stonhard.com		
1.4	Emergency telephone number:	CHEMTREC +1 703 5273887 (Outside US) PPC +1 412 6816669 (Outside US)		

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

This product is not classified as hazardous in accordance with EC Regulation 1272/2008/EC.

Date Printed: 07/04/2023

2.2 Label elements

Symbol(s) of Product

Signal Word

None

No Hazard Symbols Exist

	Product:	STR-POL-EUR
--	----------	-------------

Nan Non	ned Chemicals on Label e		
PR	ECAUTION PHRASES		
		P403+233	Store in a well-ventilated place. Keep container tightly closed.
		P501	Dispose of contents/container to waste treatment/disposal facility in accordance with local, state, and federal regulations.
AD	DITIONAL INFORMATION		
		**	Note P : The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene
2.3	Other hazards No Information		
	Results of PBT and vPvB assessmen	t:	

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

•						
Endocrine disrupting properties - To	Endocrine disrupting properties - Toxicity					
Name According to EEC	CAS-No.					
No Information						
Endocrine disrupting properties - Eco	otoxicity					
Name According to EEC	CAS-No.					
No Information						

SECTION 3: Composition/Information On Ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous ingredients

Name According to EEC	<u>%</u>	<u>Classifications</u>	SCL Value:
EINEC No.			ATE Value:
CAS-No.			M-Factor:
REACH Reg No.			

barium sulfate 231-784-4 7727-43-7 01-2119491274-35	25 - <50		SCL Value: ATE Value: M-Factor:	-
titanium dioxide 236-675-5 13463-67-7 01-2119489379-17	1.0 - <2.5		SCL Value: ATE Value: M-Factor:	-
butane-1,4-diol 203-786-5 110-63-4 01-2119471849-20	1.0 - <2.5	H302-336 Acute Tox. 4 Oral, STOT SE 3 NE	SCL Value: ATE Value: M-Factor:	-
Pentane-2,4-dione 204-634-0 123-54-6 01-2119458968-15	0.1 - <1.0	H226-302-311-331 Acute Tox. 3 Dermal, Acute Tox. 3 Inhalation, Acute Tox. 4 Oral, Flam. Liq. 3	SCL Value: ATE Value: M-Factor:	-

Solvent naphtha (petroleum), light arom.	0.1 - <1.0	H226-304-335-336-411	SCL Value:	-
265-199-0			ATE Value:	
64742-95-6		Aquatic Chronic 2, Asp. Tox. 1, Flam. Liq. 3,	ATE value:	-
01-2119455851-35		STOT SE 3 NE, STOT SE 3 RTI	M-Factor:	-
Remarks: Note 10 Note P				

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

SECTION 4: First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: When symptoms persist or in all cases of doubt seek medical advice.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.

AFTER EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses.

AFTER INGESTION: Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

No Information

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture No Information

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. High volume water jet. Hazardous decomposition products formed under fire conditions. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Ensure adequate ventilation. Use personal protective equipment.

6.1.2 For emergency responders

No Information

6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. Keep the container open.

6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 8 and 13 for further information.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapours or spray mist. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is being used. Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: Avoid dust accumulation in enclosed space. **STORAGE CONDITIONS:** Store in original container. Keep container tightly closed in a dry and well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

7.3 Specific end use(s)

The mixing and application to be in accordance with the technical data sheets.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits

(UK WELS)

Name	CAS-No.		LTEL ppm	STEL ppm	<u>STEL mg/m3</u>	LTEL mg/m3
barium sulfate	7727-43-7				10 (inh. dust)	4 (resp. dust)
titanium dioxide	13463-67-7				10 (total dust)	4 (resp. dust)
butane-1,4-diol	110-63-4					
Pentane-2,4-dione	123-54-6					
Solvent naphtha (petroleum), light arom.	64742-95-6					100
Name	<u>CAS-No.</u>	OEL Note				
barium sulfate	7727-43-7					
titanium dioxide	13463-67-7					
butane-1,4-diol	110-63-4					
Pentane-2,4-dione	123-54-6					
Solvent naphtha (petroleum), light arom.	64742-95-6					

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

Chemical Name: barium sulfate EC No.: CAS-No.: 231-784-4 7727-43-7

DNELs - Derived no effect level

		Wo	orkers		Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not	required					
Inhalation								
Dermal								

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	115 μg/L
Fresh water sediments	600.4 mg/kg sediment dw
Marine water	
Marine sediments	
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	207.7 mg/kg soil dw
Air	

Chemical Name:

titanium dioxide	
EC No.:	CAS-No.:
236-675-5	13463-67-7

DNELs - Derived no effect level

		Workers				Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects	
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic	
Oral		Not required						700 mg/kg/ bw/ day	
Inhalation			5 mg/m ³				5 mg/m ³		
Dermal			-	·					

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.127 mg/L
Fresh water sediments	1000 mg/kg dw
Marine water	1 mg/L
Marine sediments	100 mg/kg dw
Food chain	1667 mg/kg (oral)
Microorganisms in sewage treatment	100 mg/kg
soil (agricultural)	100 mg/kg dw
Air	

Chemical Name: Pentane-2,4-dione

r chianc-z,+-alone	
EC No.:	CAS-No.:
204-634-0	123-54-6

DNELs - Derived no effect level

	Workers				Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral		Not required						7 mg/kg bw/day
Inhalation								24.7 mg/m ³
Dermal				12 mg/kg bw/day				8.4 mg/kg bw/
					-			day

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.026 mg/l
Fresh water sediments	0.155 mg/kg
Marine water	0.0026 mg/l
Marine sediments	0.0155 ng/kg
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	0.01582 mg/kg
Air	

Chemical Name:

Solvent naphtha	(petroleum),	light arom.
-----------------	--------------	-------------

EC No.:	CAS-No.:
265-199-0	64742-95-6

DNELs - Derived no effect level

	Workers				Consumers			
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local systemic effects local systemic		local	systemic	effects local	systemic		
Oral		Not required			11 mg/kg bw/			
						day		
Inhalation	150 mg/m ³					-	32 mg/m ³	
Dermal	25 mg/k			25 mg/kg bw/day				11 mg/kg bw/da

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.635 mg/l
Fresh water sediments	3.29 mg/kg
Marine water	0.0635 mg/l
Marine sediments	0.329 mg/kg
Food chain	
Microorganisms in sewage treatment	100 mg/l
soil (agricultural)	0.29 mg/kg
Air	

8.2 Exposure controls

Personal Protection

RESPIRATORY PROTECTION: Respirator with a vapor filter.

EYE PROTECTION: Tightly fitting safety goggles.

HAND PROTECTION: Impervious gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use. OTHER PROTECTIVE EQUIPMENT: No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas.

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties Colour: various

Physical State	Liquid
Odor	slight
Odor threshold	n/a
рН	n/a
Melting point / freezing point (°C)	Not determined
Boiling point or initial boiling point and boiling range (°C)	150 - 200
Flash Point, (°C)	110
Evaporation rate	n/a
Flammability (solid, gas)	n/a
Llower and upper explosive limit	Not determined
Vapour Pressure	n/a
Relative vapour density	n/a
Density and/or relative density	1.46
Solubility in / Miscibility with water	insoluble
Partition coefficient: n-octanol/water	n/a
Auto-ignition temperature (°C)	>250
Decomposition temperature (°C)	n/a
Kinematic viscosity	4500-8000 cps
Particle characteristics	Not applicable to liquids

9.2 Other information

VOC Content g/l:

16 Grams of VOC per liter of coating product as applied per ISO 11890-1 and/or ISO 11890-2.

Specific Gravity (g/cm3)

1.46

SECTION 10: Stability and Reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Container can be pressurized by carbon dioxide due to reaction with humid air and/or water. Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4 Conditions to avoid Avoid dust accumulation in enclosed space.

10.5 Incompatible materials No Information

10.6 Hazardous decomposition products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

SECTION 11: Toxicological information

11.1 Information on hazard classes as definied in Regulation (EC) No 1272/2008

Acute Toxicity:

Oral LD50: Inhalation LC50: Dermal LD50:	No information available. No information available. No Information
Irritation:	No information available.
Corrosivity:	No information available.
Sensitization:	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	No information available.
Aspiration hazard:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
7727-43-7	barium sulfate >5000 mg/kg (rat)		>2000 mg/kg bw (rat)	No information	No information	No information
13463-67-7	titanium dioxide	>5000 mg/kg (oral-rat)	10000 mg/kg	No information	No information	>6.82 mg/L (inh- rat-4h)
110-63-4	butane-1,4-diol					5.1 mg/l (4h, rat, OECD 403)
123-54-6	Pentane-2,4-dione	575 mg/kg (LD50 oral. rat)	No information	5.10mg/l(LC50, rat, 4h)	No information	No information
64742-95-6	Solvent naphtha (petroleum), light arom.	8400 mg/kg, oral, rat	No information	3670 ppm/8 hours, rat, inhalation	No information	No information

Additional Information:

Persons allergic to isocyanates, and particularly those suffering from asthma or other respiratory conditions, should not work with isocyanates.

11.2 Information on other hazards

Endocrine disrupting properties - Toxicity

Name According to EEC CAS-No.

No Information

SEC		12: Ecological Information					
12.1	Toxici	iy:					
	EC	50 48hr (Daphnia):	No info	rmation			
	IC5	0 72hr (Algae):	No info	ormation			
	LC5	i0 96hr (fish):	No info	ormation			
12.2	Persis	tence and degradability:	No info	ormation			
12.3	Bioaco	cumulative potential:	No info	ormation			
12.4	Mobili	ty in soil:	No info	ormation			
	Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex X assessment:		in accordance with Annex XIII.				
12.6	Endoc	rine disrupting properties					
	Endocrine disrupting properties - Ecotoxicity						
	Name According to EEC		CAS-No.	CAS-No.			
	No li	nformation					
12.7 Other adverse effects: No information							
<u>CAS-N</u>	<u>No.</u>	Name According to EEC		<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>	
13463	67-7	titanium dioxide		>1000 mg/L (LC50, statisk, Daphnia magna, OECD202)	>100 mg/L (EC50, statisk, Pseudokirchnerella subcapitata, OECD201)	>1000 mg/L (LC50, statisk, Pimephales promelas, EPA-540/9-85-006)	
110-63	3-4	butane-1,4-diol		813 mg/l (EC50,48h, Daphnia magna, OECD202)	>500 mg/l (EC50, 72h, Scenedesmus subspicatus, DIN 38412 / part 9)	>30000 mg/l (LC50, 96h, Fathead minnow, OECD 203)	
123-54	4-6	Pentane-2,4-dione		34.4 mg/l (EC50, 48h, Daphnia magna)	8.36 - 83.22 mg/L	>71,70 mg/l (LC50, 96h, salmo gairdneri); 72 mg/l (LC50, 96h, raimbow trout)	
64742	-95-6	Solvent naphtha (petroleum), light	arom.	3.2 mg/l (EC50, 48h, Daphnia magna)	2.6 mg/l (IC50, 72h Pseudokirchneriella subcapitata)	No information	

SECTION 13: Disposal Considerations

13.1 WASTE TREATMENT METHODS: Dispose of as hazardous waste in compliance with local and national regulations. If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

European Waste Code:	080111*
Packaging Waste Code:	150110

SECTION 14: Transport Information

		ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1	UN-number or ID number	No Information	No Information	No Information	No Information
14.2	UN proper shipping name	Not regulated for transport according to U.S. DOT, ADR/RID, IMDG, and IATA regulations.	Not regulated for transport according to U.S. DOT, ADR/ RID, IMDG, and IATA regulations.	Not regulated for transport according to U.S. DOT, ADR/RID, IMDG, and IATA regulations.	Not regulated for transport according to U.S. DOT, ADR/RID, IMDG, and IATA regulations.
14.3	Transport Hazard Class(es)	No Information	No Information	No Information	No Information
14.4	Packing Group	No Information	No Information	No Information	No Information
14.5	Enviromental Hazards	No Information	No Information	No Information	No Information

14.6	Special precautions for user	Not applicable
	EmS-No.:	Not applicable
147	Maritime transport in bulk according to IMO	Not applicable

14.7 Maritime transport in bulk according to IMO Not applicable intruments

SECTION 15: Regulatory Information

15.1	Safety, health and environmental regulations/legislation for the substance or mixture: National Regulations:		
	Denmark Product Registration Number:	Not available	
	Danish MAL Code:	Not available	
	Danish MAL Code - Mixture:	Not available	
	Sweden Product Registration Number:	Not available	
	Norway Product Registration Number:	Not available	
	Germany WGK Class:	3	
	Directive 2004/42/CE :	11	
	Covered by Directive 2012/18/EC (Seveso III):	Not applicable	

Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006: Not a

Not applicable

Annex XIV, Regulation (CE) 1907/2006 - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List - Art. 59 REACH):

CAS-No. Name According to EEC

Not Applicable

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H226 H302 H304 H311	Flammable liquid and vapour. Harmful if swallowed. May be fatal if swallowed and enters airways. Toxic in contact with skin.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Reasons for revision

No Information

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

- The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark.
- Joint Research Centre in Ispra, Italy.
- Regulation (EC) 1272/2008 with subsequent amendments.
- Regulation (EC) 1272/2006 with subsequent amendments.
- Commission Regulation (EU) 2020/878
- EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes"
- Safety Data Sheet from raw material supplier
- The classification declared in sec. 2.2 is based on the calculation methods set out in Annex I and Annex II of the CLP Reg. 1272/2008 on the composition of the formula.

Acronym & Abbreviation Key:

CLP	Classification, Labeling & Packaging Regulation
EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances
REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit

Date Printed: 07/04/2023

ppm mg/m3	Parts per million Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds
g/1	Grams per liter
mg/kg	Milligrams per kilogram
N/A	Not applicable
LD50	Lethal dose at 50%
LC50	Lethal concentration at 50%
EC50	Half maximal effective concentration
IC50	Half maximal inhibitory concentration
PBT	Persistent bioaccumulative toxic chemical
vPvB	Very persistent and very bioaccumulative
EEC	European Economic Community
ADR	International Transport of Dangerous Goods by Road
RID	International Transport of Dangerous Goods by Rail
UN	United Nations
IMDG	International Maritime Dangerous Goods Code
IATA	International Air Transport Association
MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978
IBC	International Bulk Container
RTI	Respiratory Tract Irritation
NE	Narcotic Effects
IMO	International Maritime Organization
Note P:	The classification as a carcinogen or mutagen need not apply; the substance contains less than 0,1 % w/w benzene
Note 10:	The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of an incomparated in particular with correctionarie diameter ≤ 10 ym
	or incorporated in particles with aerodynamic diameter \leq 10 µm.

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.