

# Safety Data Sheet according to Regulation (EC) No. 2015/830



# SECTION 1: Identification of the Substance/Mixture and the Company/Undertaking

1.1 Product Identifier 360C Revision Date: 01/02/2017

Product Name: STONSHIELD AGG. PART C Supercedes Date: 18/11/2016

1.2 Relevant identified uses of the substance or mixture and uses

advised against

Component of multicomponent industrial coatings - Industrial use.

1.3 Details of the supplier of the safety data sheet

Importer: StonCor Europe

9, Rue du Travail - 1400 Nivelles, Belgium

Manufacturer: Stonhard, Division of StonCor Group, Inc.

1000 East Park Avenue Maple Shade, NJ 08052

+1 856 7797500 (US)

Regulatory / Technical Information: +32 67493710 Nivelles, Belgium

Datasheet Produced by:

ehs@stonhard.com

1.4 Emergency telephone number: CHEMTREC +1 703 5273887 (Outside US)

# **SECTION 2: Hazard Identification**

#### 2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

# HAZARD STATEMENTS

Allergic effects EUH208
Carcinogenicity, category 1A H350-1A
STOT, single exposure, category 1 H370

# 2.2 Label elements

# Symbol(s) of Product



# Signal Word

Danger

# Named Chemicals on Label

quartz (silicon dioxide)

# **HAZARD STATEMENTS**

EUH208	Contains hexamethylene diisocyanate, oligomers, aspartic ester. May produce an allergic reaction.
H350-1A	May cause cancer.
H370	Causes damage to organs.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P284	Wear respiratory protection.
P307+311	IF exposed, call a POISON CENTER or doctor/physician.
P308+313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
	H350-1A H370 P201 P202 P260 P264 P284 P307+311 P308+313

# 2.3 Other hazards

No Information

# Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

# **SECTION 3: Composition/Information On Ingredients**

# 3.2 Mixtures

# **Hazardous Ingredients**

<u>%</u>
75-100
0.1-1.0
<0.1
<0.1

CAS-No.	REACH Reg No.	CLP Symbols	CLP Hazard Statements	M-Factors
14808-60-7		GHS08	H350-370	
13463-67-7	01-2119489379-17- 0117			
21645-51-2	01-2119529246-39			
122-99-6		GHS07	H302-319	

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

# **SECTION 4: First-aid Measures**

#### 4.1 Description of First Aid Measures

**GENERAL NOTES:** No Information

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off with soap and plenty of water.

AFTER EYE CONTACT: Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses. If eye

irritation persists, consult a specialist.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Never give anything by mouth to an unconscious person.

#### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

# 4.2 Most important symptoms and effects, both acute and delayed

Harmful by inhalation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# **SECTION 5: Fire-fighting Measures**

#### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

# 5.2 Special hazards arising from the substance or mixture

No Information

#### 5.3 Advice for firefighters

None known. The product itself does not burn. In the event of fire, wear self-contained breathing apparatus. Water sprayDry powderAlcohol-resistant foamCarbon dioxide (CO2)High volume water jet.

# **SECTION 6: Accidental Release Measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment.

# 6.2 Environmental precautions

No Information

#### 6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. No special environmental precautions required. After cleaning, flush away traces with water.

# 6.4 Reference to other sections

**FURTHER INSTRUCTIONS:** Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

# **SECTION 7: Handling and Storage**

# 7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Avoid dust formation. Protect from moisture.

Wash hands before breaks and at the end of workday. Do not breathe dust. When using, do not eat, drink or smoke.

# 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID: No Information** 

STORAGE CONDITIONS: Keep tightly closed in a dry and cool place.

# 7.3 Specific end use(s)

No specific advice for end use available.

# **SECTION 8: Exposure Controls/Personal Protection**

# 8.1 Control parameters

# Ingredients with Occupational Exposure Limits (UK WELS)

<u>Name</u>	<u>CAS-No.</u>	LTEL ppm	STEL ppm	STEL mg/m3	LTEL mg/m3
quartz (silicon dioxide)	14808-60-7				
titanium dioxide	13463-67-7				4, 10
alumina trihydrate	21645-51-2				
2-phenoxyethanol	122-99-6				
<u>Name</u>	CAS-No. OEL	. Note			

quartz (silicon dioxide) 14808-60-7 titanium dioxide 13463-67-7 alumina trihydrate 21645-51-2 2-phenoxyethanol 122-99-6

**FURTHER ADVICE:** Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

# 8.2 Exposure controls

**Personal Protection** 

**RESPIRATORY PROTECTION:** Effective dust mask. **EYE PROTECTION:** Safety glasses with side-shields.

HAND PROTECTION: Protective gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use.

**OTHER PROTECTIVE EQUIPMENT:** No Information

**ENGINEERING CONTROLS:** Ensure adequate ventilation, especially in confined areas.

# **Chemical Name:**

titanium dioxide

**EC No.: CAS-No.:** 236-675-5 13463-67-7

#### DNELs - Derived no effect level

	Workers			Consumers				
Route of	Acute effect	Acute effects	Chronic	Chronic effects	Acute effect	Acute effects	Chronic	Chronic effects
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required					700 mg/kg/d		
Inhalation			10					
Dermal				_				

# PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	0.127
Fresh water sediments	1000
Marine water	1
Marine sediments	100
Food chain	1667
Microorganisms in sewage treatment	100 mg/l
soil (agricultural)	100
Air	

# **SECTION 9: Physical and Chemical Properties**

9.1 Information on basic physical and chemical properties

Appearance: GRANULAR

Physical State SOLID

Odor ODORLESS

Odor threshold Not determined

pH N/A

Melting point / freezing point (°C) Not determined

Boiling point/range (°C) 136 - N.D.

Flash Point, (°C) N/A

Evaporation rate Not determined

Flammability (solid, gas) Not determined

Upper/lower flammability or explosive

limits

N/A - N/A

Vapour Pressure NONE
Vapour density NONE

Relative density Not determined

Solubility in / Miscibility with water INSOLUBLE

Partition coefficient: n-octanol/water Not determined

Auto-ignition temperature (°C)

Not determined

Decomposition temperature (°C)

Not determined

Viscosity N/A

**Explosive properties** 

Not determined

Oxidising properties Not determined

9.2 Other information

VOC Content g/l:

Grams of VOC per liter of coating product as applied (mixture of Part A and Part B) per ASTM D2369 Method E.

Specific Gravity (g/cm3) 2.614

# **SECTION 10: Stability and Reactivity**

# 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

#### 10.4 Conditions to avoid

No Information

#### 10.5 Incompatible materials

Do not store near acids. Strong oxidizing agents.

# 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

# **SECTION 11: Toxicological Information**

# 11.1 Information on toxicological effects

**Acute Toxicity:** 

Oral LD50: No Information Inhalation LC50: No Information

Irritation: No information available.

Corrosivity: No information available.

**Sensitization:** No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

Mutagenicity: No information available.

**Toxicity for reproduction:** No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50
14808-60-7	quartz (silicon dioxide)	>2000 mg/kg		
13463-67-7	titanium dioxide	10000 mg/m3, oral (rat)		
122-99-6	2-phenoxyethanol	1400 mg/kg, oral, rat		

#### Additional Information:

This product may contain Quartz (silicon dioxide), which is listed by IARC as a known carcinogenic to humans (Group 1). This classification is relevant when exposed to Quartz (silicon dioxide) in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities. This product may contain Titanium Dioxide, which is listed by IARC as possibly carcinogenic to humans (Group 2B). This listing is based on inadequate evidence of carcinogenicity in humans and sufficient evidence in experimental animals. This classification is relevant when exposed to titanium dioxide in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities.

# **SECTION 12: Ecological Information**

12.1 Toxicity:

EC50 48hr (Daphnia):

No information

No information

No information

No information

12.2 Persistence and degradability: No information

12.3 Bioaccumulative potential: No information

12.4 Mobility in soil: No information

12.5 Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

assessment:

**12.6 Other adverse effects:** No information

CAS-No.	Name According to EEC	EC50 48hr	<u>IC50 72hr</u>	LC50 96hr
14808-60-7	quartz (silicon dioxide)	No information	No information	
13463-67-7	titanium dioxide	>100 mg/l (EC50, 48h, Daphnia magna OECD202)ation	No information	>1000 mg/l
21645-51-2	alumina trihydrate	No information	No information	
122-99-6	2-phenoxyethanol	No information	No information	

# **SECTION 13: Disposal Considerations**

13.1 WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**European Waste Code:** 010409 **Packaging Waste Code:** 150110

# **SECTION 14: Transport Information**

14.1 UN number N/A

14.2 UN proper shipping name NOT REGULATED

Technical name N/A

14.3 Transport hazard class(es) NONE

Subsidiary shipping hazard Not applicable

14.4 Packing group Not applicable
 14.5 Environmental hazards Not applicable
 14.6 Special precautions for user Not applicable

EmS-No.: N/A

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

Not applicable

# **SECTION 15: Regulatory Information**

# 15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

# **National Regulations:**

Denmark Product Registration Number: Not available

Danish MAL Code: Not available

Danish MAL Code - Mixture: Not available

Sweden Product Registration Number: Not available

Norway Product Registration Number: Not available

WGK Class: Not available

# 15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# SECTION 16: Other Information

# Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H302	Harmful if swallowed.
H319	Causes serious eye irritation
H3EU	May cause cancer

H350 May cause cancer.

H370 Causes damage to organs.

#### Reasons for revision

Composition Information Changed Statement(s) Changed

statement(s) changed

This Safety Data Sheet (SDS) has been revised to meet updated national hazard communication standards which have adopted the provisions of the UN GHS system. There have been both formatting and content changes based on the GHS classification (if applicable), Please review each section of the SDS for specific changes. This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

#### List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark; European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830;

European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP); EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

#### Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

ΕC European Commission European Union ΕU US United States

Chemical Abstract Service CAS

EINECS European Inventory of Existing Chemical Substances

REACH Registration, Evaluation, Authorization of Chemicals Regulation

Globally Harmonized System of Classification and Labeling of Chemicals

Long term exposure limit LTEL Short term exposure limit STEL Occupational exposure limit OEL

Parts per million ppm

Milligrams per cubic meter mg/m3

Threshold Limit Value TLV

American Conference of Governmental Industrial Hygienists ACGIH

Occupational Safety & Health Administration OSHA

PEL Permissible Exposure Limits VOC Volatile organic compounds

Grams per liter q/1

Milligrams per kilogram mg/kg

Not applicable N/A Lethal dose at 50% T<sub>1</sub>D.5.0

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration IC50 Half maximal inhibitory concentration PBT Persistent bioaccumulative toxic chemical Very persistent and very bioaccumulative vPvB

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road International Transport of Dangerous Goods by Rail

United Nations

International Maritime Dangerous Goods Code IMDG International Air Transport Association IATA

International Convention for the Prevention of Pollution From Ships, 1973 as MARPOL

modified by the Protocol of 1978

International Bulk Container RTT Respiratory Tract Irritation

Narcotic Effects NE

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general quidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions

and recommendations are not followed.